

## Control Devices

Radio Remote Control – Air Series

Pendant Control – HY Series



**Control Devices:**  
**Compact, Ergonomic, Safe**

# Pendant Control – HY Series

Podem's pendant controls cover wide field of light and medium duty control applications. They are very reliable, with ergonomic compact design and easy for handling and operation.


## Application:

Cranes, hoists, power lifts of truck, electric lift and other moving equipments.

## Advantages:

- Excellent price-quality level.
- Various push buttons pendant models (from 2 to 6 buttons plus optional accessories).
- Made of the ABS copolymer with an excellent mechanical intensity and electrical features.
- Light weight.
- Standard Emergency switch for cut OFF the operation power.
- Durable contact units, which provides to select frequently and reliably the controlling load. Two position contact unit has mechanical lock-up feature for additional safety.

## HY-1026 SBBB



## Design

Model Range – **HY-1024 SBB** / **HY-1026 SBBB** / **HY-1026 SBBB-L** / **HY-1029 SBBB**

### HY Series

Wire protector.  
For the water-proof packing and wire protection.

Bushing holder (internal).  
Designed to be applied disregarding the size of wire.

Emergency button Cut OFF the power in an emergency situation. Standard application for the crane design. Latch key available.

Buttons according to the model of the pendant. Single and double stage contact system. Mechanical interlock for safety reason. Arrows (single and double) marking for each direction.

Rated current: 6 A 250 VAC (10 A 250 V AC)  
Insulation resistance: 100 MΩ (500 V DC)  
Dielectric strength: 2000 V AC  
Conformity to standards: EN 60204-1, EN 60947-1, EN 60947-5-1, EN 60529, EN 418  
Degree of protection: IP66  
Buttons mechanical life: 3 million operations

Body: Compact and ergonomic size. Operational button number (from 2 to 10 inserts).

Blind hole for small signal light and START switch.

Push button.

Selector key.

INDICATOR light.

Switch optional.

• Hanger plate in each pendant set (Back side).

